

Powering Performance...
Company-wide





Bringing Ease, Speed and Flexibility to Document Imaging

Built for durability and efficiency, the Copystar CS 5500i delivers all the functionality your document imaging requires. Clean, sharp black & white output at an impressive 55 ppm will be yours day-in and day-out, while advanced finishing options add professional quality to reports, proposals, and more. A broad range of features, including color scanning, USB Host interface and optional fax offer enhanced functionality, which can be further optimized with powerful and scalable integrated business applications to help simplify your document workflow.



Award-winning ultra-reliability and unique long-life technology ensure superior performance, proven productivity and maximum efficiency. When it comes to document imaging innovation and quality you can rely on, the CS 5500i delivers.

Innovation for Your Office through Feature-Rich Design

The CS 5500i is strong on features and configurations, offering the flexibility to scale your MFP to the specific needs of your enterprise. It's all about feature-rich design with a focus on value and exceptional color functionality.

- An integrated 10.2" Color Touch-screen Control Panel offers outstanding clarity and easy viewing. Intuitive prompts, on-board help guidance and accessibility display, make programming your jobs from the device quick and effortless.
- Robust connectivity features including standard Gigabit Ethernet, offer seamless integration within virtually any network environment or platform.
- The ability to choose between an optional 175-sheet Dual Scan **Document Processor** or a 100-sheet Reversing Automatic Document **Processor** enables super fast scan speeds of up to 160 images per minute.
- A standard USB Host Interface provides convenient print-from or scan-to capabilities for today's 'on the go' workforce in XPS, PDF, JPEG and TIFF.
- The optional 4,000-sheet and 1,000-sheet finishers provide the professional touch your output deserves. Add the 7 bin mailbox and booklet/trifold unit to the 4,000-sheet finisher, and you can efficiently handle large production runs in-house, optimizing time and minimizing costs.
- Copystar's long life technology and 'class leading' drum yields deliver extended preventive maintenance intervals and maximize device "uptime". This adds up to ultra-reliable operation and a low total cost of ownership.
- Kyocera Command Center RX, the MFP's embedded web home page, gives you the remote access you need to check device status, establish system settings, or access stored Document Box files from your desktop.
- An impressive toner yield of 35,000 pages allows you to run high quality, longer print jobs in crisp black & white, maximizing productivity and minimizing interruption.

Only From Kyocera

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of Copystar multifunctional systems and ECOSYS laser printers, products that consistently set the standard for high performance, superior image quality, ease-of-use and durability. Along with a full complement of advanced business applications and networking solutions, Kyocera's robust product line supports your need for maximum productivity at minimal total cost.

Kyocera continually strives to raise the bar for excellence in both products and service for exceptional results you and your business can count on.

Keeping the Future Green

Kyocera is committed to pursuing a harmonious developing office solutions with environmentally features, without compromising your productivity.



The Power to Take Control of Everyday Tasks and Keep Information Moving

Information is your most important business asset, and you need a 'no holds barred' document imaging system to keep it flowing seamlessly. The CS 5500i raises the bar on core functionality with unparalleled efficiency:

- Crisp print and copy output capabilities power your communications via robust paper handling up to 12" x 18" and 110 lb cover, plus a remarkable 7,150 sheet maximum paper capacity for long print runs and minimal interruptions.
- Secure Document Box lets you keep frequently used documents close at hand for hassle free printing, secure file sharing and pin-based Private Print.
- Pre-program and store commonly used copy, scan and print settings at the control panel and the KX Driver to simplify your daily tasks.
- Optional Super G3, LAN Fax and Dual Fax capability adds versatility while leveraging your investment in an MFP.

A Master at Multitasking

Your business is non-stop, and requires an MFP that can stay up to speed. The CS 5500i has the power you need to perform simultaneous document processing tasks. Its super fast 600MHz processing speed plus standard 1GB of RAM and 160 GB of Hard Disk Drive space support excellent all-in-one productivity. Now you can produce a large print run, scan documents for electronic storage, have dual fax lines and utilize advanced finishing

capabilities all in one high speed black & white MFP. The CS 5500i's maximum uptime will keep your processes going quickly and seamlessly so you never miss a beat.





Enhanced MFP Performance... Powered by HyPAS®

Enhance your CS 5500i's capability with unique and scalable business applications, powered by HyPAS –Kyocera's powerful software development platform. These applications, developed by Kyocera or by our third-party solution partners, allow your business to further optimize your Copystar MFPs' "out-of-the-box" performance. Kyocera applications transform your MFP into a powerful resource that suits your existing document imaging and workflow needs today, as well as delivers the flexibility you need for tomorrow.

Our expanding suite of business applications include:

- KYOCERA Mobile Print Simply and conveniently print files, web pages, and images using your smartphone or tablet.
- OpenText RightFax Connector Scan and send documents to the RightFax server directly from Copystar MFPs for full fax server integration.
- SharePoint Connector Microsoft SharePoint users can scan documents into their SharePoint folder and libraries to search/ print directly from the Copystar MFP control panel.
- Card Authentication Authenticate, Authorize and Track individual MFP usage with the simple swipe of an HID-card.
- DMS Link Connect your Copystar MFP to most popular document management systems for document capture and routing.


Visit www.copystar.com to learn more about additional business applications designed to fit your essential needs.

Which Configuration is Right for You?

Truly designed with you in mind, the CS 5500i brings configuration flexibility to the workplace, allowing you to customize the MFP to your specific paper handling needs.

Paper Handling Flexibility





CS 5500i



Shown with optional 175 sheet DSDP and 500 x 2 sheet paper trays



Shown with optional 175 sheet DSDP, 500 x 2 sheet paper trays and 1,000 sheet finisher



Shown with optional 175 sheet DSDP, 500 x 2 sheet paper trays, 3,000 sheet side LCT and 4,000 sheet finisher



Newly designed, easy-to-use large color touch screen control panel



Hybrid Platform for Advanced Solutions



| Configuration | Black & White Multifunctional System - Print/Scan/Copy/Optional Fax |
|--|---|
| ages Per Minute | Letter: 55 ppm; Legal: 33 ppm; Ledger: 27 ppm; 12" x 18": 27 ppm (print only) |
| Varm-up Time | 23 Seconds or Less (Power On) |
| irst Page Out | Copy: 4.3 Seconds or less; Print: 4.9 Seconds or Less |
| Resolutions / Bit Depth | 600 x 600 dpi; 9600 x 600 dpi interpolated / 8 bit depth |
| Memory / Hard Disk Drive | 1 GB RAM Standard, 2 GB RAM Maximum / 160 GB HDD |
| Ouplex | Standard Stackless Duplex Supports Statement to 12" x 18", 16 lb Bond – 120 lb Index (60 – 220gsm) |
| Standard Output Tray | Statement - 12" x 18"; 250 Sheets |
| lectrical Requirements | 120V. 60Hz, 12.0A |
| Dimensions / Weight | 26.30" W x 30.20" D x 29.41" H / 180.8 lbs |
| Max Monthly Duty Cycle | 225,000 Pages Per Month |
| Paper Supply | |
| tandard Paper Sources | Dual 500 Sheet Trays, 150 Sheet MPT; Auto Selection/Switching |
| Optional Paper Sources | Dual 500 Sheet Trays (PF-730) or Dual 1,500 Sheet Trays (PF-740); 3,000 Sheet Side Large Capacity Tray (PF-750) |
| aper Capacity | Standard: 1,150 Sheets; Maximum: 7,150 Sheets |
| | |
| aper Size | Trays 1, 2 and PF-730 : 5.5" x 8.5" – 12" x 18"; PF-740 , PF-770 : 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sh |
| aper Weight | Trays: 16 lb Bond – 120 lb index (60 – 220gsm); MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) |
| nput Materials | Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes |
| Print Specifications | |
| tandard Controller | IBM PowerPC 750CL / 600 MHz |
| DLs / Emulations | PRESCRIBE, PCL6 (5e, XL), KPDL3 (PS3), XPS |
| ptional Emulation | UG-34 IBM ProPrinter, Diablo 630, LQ-850 |
| onts | 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap |
| Vindows OS Compatibility | Windows XP/2003/Vista/2008/7 |
| lovell OS Compatibility | Novell NetWare 3.x/4.x/5.x/6.x |
| MAC OS Compatibility | Mac OS 10.x |
| INIX OS Compatibility | Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR) |
| nterfaces | Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Slots |
| itoria003 | Optional: 10/100/1000BaseTX, RI-Speed USB 2.0, 2 USB ROSt Interfaces, 2 Expansion Sidts Optional: 10/100/1000BaseTX (IB-50 for Dual NIC) |
| letwork Print and Supported Protocols | TCP/IP, IPX/SPX, AppleTalk, NetBEUI, IPv6, IPsec, SSL, WSD Print |
| | |
| rivers | KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC |
| Itilities | PRESCRIBE, PDF Direct Print, KMnet Admin, KMnet Viewer, Kyocera Command Center RX |
| can Specifications | Color and Black & White Scanner |
| can Resolution | 200, 300, 400, 600 dpi |
| ile Formats | BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A |
| DF Extension | High Compression PDF, Encrypted PDF |
| can Speeds | DP-770: Simplex: 75 ipm BW, 50 ipm Color (300 dpi); Duplex: 45 ipm BW, 34 ipm Color (300 dpi) |
| | DP-771 : Simplex: 80 ipm BW, 50 ipm Color (300 dpi); Duplex: 160 ipm BW, 80 ipm Color (300 dpi) |
| Connectivity / Supported Protocols | 10/100/1000BaseTX, TCP/IP |
| Scanning Functions | Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to USB, WSD Scan, TWAIN Scan |
| Original Size | Through DP: Statement to 11" x 17"; Glass: up to 11" x 17" |
| Oriver | TWAIN/WIA Driver |
| Copy Specifications | TWAITV WIA DITYE |
| mage Mode | Text, Photo, Text/Photo, Auto, Manual, Map |
| | |
| Continuous Copy additional Features | 1 – 999 / Auto Reset to 1 |
| Additional Features | Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, |
| | Electronic Sort, Margin Shift, Page Number, XY Zoom, Prevent Bleed Through, Stamp |
| ob Management | 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy |
| Color Adjustment | One Touch, Hue, Auto Exposure, Sharpness |
| | Full Circ E Daduction E Enlargement Propert Dation OF 4000/ in 1 step increments |
| lagnification / Zoom | Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 – 400% in 1 step increments |
| | |
| Occument Box | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) |
| Occument Box Occument Processor | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 |
| Ocument Box | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets |
| Occument Box Occument Processor Type / Capacity | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets |
| Occument Box Occument Processor Type / Capacity Cocceptable Originals | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" – 11" x 17" |
| Occument Box Occument Processor ype / Capacity cceptable Originals | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond |
| ocument Box Document Processor ype / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index |
| ocument Box Document Processor ype / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) cax Specifications | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) |
| ocument Box Document Processor /pe / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) ax Specifications ompatibility / Data Compression | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG |
| ocument Box Document Processor /pe / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) ax Specifications compatibility / Data Compression cansmission Speed / Modem Speed | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps |
| ocument Box Document Processor /pe / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) ax Specifications ompatibility / Data Compression ransmission Speed / Modem Speed ax Memory | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB |
| ocument Box Document Processor /pe / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) fax Specifications compatibility / Data Compression ransmission Speed / Modem Speed ax Memory | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver |
| ocument Box Document Processor ype / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) fax Specifications compatibility / Data Compression companission Speed / Modem Speed ax Memory river | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver |
| cocument Box Cocument Processor ype / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) cas Specifications compatibility / Data Compression ransmission Speed / Modem Speed ax Memory river ax Functions | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB |
| ocument Box Document Processor Type / Capacity Coceptable Originals Coceptable Weights (Simplex / Duplex) ax Specifications Compatibility / Data Compression Companies on Speed / Modem Speed / Modem Speed Companies on Speed / Modem Speed / Modem Speed Companies on Speed / Modem Spee | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 |
| ocument Box Document Processor ype / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) cax Specifications compatibility / Data Compression cansmission Speed / Modem Speed ax Memory rriver ax Functions potional 1,000 Sheet Finisher tack / Staple Capacity | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) |
| ocument Box Document Processor /pe / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) fax Specifications compatibility / Data Compression ransmission Speed / Modem Speed ax Memory river ax Functions Detional 1,000 Sheet Finisher tack / Staple Capacity aper Size | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" |
| ocument Box Document Processor /pe / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) fax Specifications compatibility / Data Compression ransmission Speed / Modem Speed ax Memory river ax Functions Diptional 1,000 Sheet Finisher tack / Staple Capacity aper Size aper Weight | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) |
| cocument Box Document Processor ype / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) fax Specifications compatibility / Data Compression ransmission Speed / Modem Speed ax Memory river ax Functions pptional 1,000 Sheet Finisher tack / Staple Capacity aper Size aper Weight dge Staple Position | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind |
| ocument Box Document Processor Ipe / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) ax Specifications ompatibility / Data Compression ransmission Speed / Modem Speed ax Memory river ax Functions Document 1,000 Sheet Finisher tack / Staple Capacity aper Size aper Weight dge Staple Position ptional Punch | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" |
| ocument Box Document Processor Ipe / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) ax Specifications ompatibility / Data Compression anamission Speed / Modem Speed ax Memory river ax Functions Dotional 1,000 Sheet Finisher tack / Staple Capacity aper Size aper Weight dge Staple Position ptional Punch Optional 4,000 Sheet Finisher | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-74 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" |
| ocument Box Pocument Processor Proce | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-74 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)) |
| ocument Box Pocument Processor I/pe / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) Example 1 | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs 5.5" x 8.5" - 12" x 18" |
| cocument Box Document Processor ype / Capacity cceptable Originals cceptable Weights (Simplex / Duplex) Eax Specifications compatibility / Data Compression cransmission Speed / Modem Speed ax Memory viver ax Functions Detional 1,000 Sheet Finisher tack / Staple Capacity aper Size aper Weight dge Staple Position Uptional Punch Detional 4,000 Sheet Finisher tack / Staple Capacity aper Size | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-74 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm) |
| cocument Box Cocument Processor Cocument Speed (Simplex / Duplex) Compatibility / Data Compression | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gss) 5.5" x 8.5" - 12" x 18" |
| Jocument Box Jocument Processor Jocument Specifications Jocument Jocument Specifications Jocument Jocument Specifications Jocument Jocument Specification Jocument Jocument Specification Jocument Jocumen | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)) 3 Positions: Top Left, Bottom Left, Center Bind |
| Jocument Box Jocument Processor Jocument Specifications Jocument Jocument Specifications Jocument Jocument Specifications Jocument Jocument Specification Jocument Jocument Specification Jocument Jocumen | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)) 3 Positions: Top Left, Bottom Left, Center Bind PH-770 Includes 7 Trays; Supports 16 lb Bond - 90 lb Index (60 - 163gsm) |
| Cocument Box Cocument Processor Type / Capacity Coceptable Originals Coceptable Weights (Simplex / Duplex) Compatibility / Data Compression Compatibility / Data Com | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind MT-730 Includes 7 Trays; Supports 16 lb Bond - 90 lb Index (60 - 163gsm) Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", x 11"; 50 Sheets: 8.5" x 14", 11" x 17" |
| Magnification / Zoom Document Box Document Processor Type / Capacity Acceptable Originals Acceptable Weights (Simplex / Duplex) Fax Specifications Compatibility / Data Compression Fransmission Speed / Modem Speed Fransmission Spee | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex: 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) (3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsr)) 3 Positions: Top Left, Bottom Left, Center Bind MT-730 Includes 7 Trays; Supports 16 lb Bond - 90 lb Index (60 - 163gsm) Stack Capacity per bin: 100 Sheets: 5.5" x 8.5" x 11", 50 Sheets: 8.5" x 14", 11" x 17" PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" |
| Document Box Document Processor Type / Capacity Acceptable Originals Acceptable Weights (Simplex / Duplex) Fax Specifications Compatibility / Data Compression Fransmission Speed / Modem Speed / Modem Speed Fransmission Speed / Modem Speed / Modem Speed Fransmission Speed / Modem Sp | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsr)) 3 Positions: Top Left, Bottom Left, Center Bind MT-730 Includes 7 Trays; Supports 16 lb Bond - 90 lb Index (60 - 163gsm) Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17" PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; 16 lb Bond - 24 lb Bond (60 - 90gsm) |
| Accument Box Document Processor Iype / Capacity Acceptable Originals Acceptable Weights (Simplex / Duplex) Fax Specifications Compatibility / Data Compression Fransmission Speed / Modem Speed Fax Memory For Staple Capacity Franctions Franct | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)) 3 Positions: Top Left, Bottom Left, Center Bind MT-730 Includes 7 Trays; Supports 16 lb Bond - 90 lb Index (60 - 163gsm) Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17" PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; 16 lb Bond - 24 lb Bond (60 - 90gsm) 16 sheets; 25 lb Bond - 28 lb Bond (91 - 105gsm) 13 sheets; Fold booklet - no staple: 16 lb Bond - 24 lb Bond |
| Accument Box Document Processor Iype / Capacity Acceptable Originals Acceptable Weights (Simplex / Duplex) Fax Specifications Compatibility / Data Compression Fransmission Speed / Modem Speed Fax Memory For Staple Capacity Franctions Franct | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" – 11" x 17" (DP-770) Simplex: 13 lb Bond – 90 lb Index; Duplex 13 – 32 lb Bond (DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 3 Fositions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" – 12" x 18" 16 lb Bond – 110 lb Cover (60 – 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs 5.5" x 8.5" – 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs 5.5" x 8.5" – 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs 5.5" x 8.5" – 12" x 18" 16 lb Bond – 110 lb Cover (60 – 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm) Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17" PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18" BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; 16 lb Bond – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb Bond – 28 lb |
| cocument Box Cocument Processor Cocument State (Simplex / Duplex) Cocument State (Simplex / Modern Speed Cocument Speed / Modern Speed / Modern Speed Cocument Speed / Modern Spee | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets 5.5" x 8.5" - 11" x 17" (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex 13 - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) (3 Fax / MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) 5.5" x 8.5" - 12" x 18" 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs 5.5" x 8.5" - 12" x 18" DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs 5.5" x 8.5" - 12" x 18" DF-730 Min Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs 5.5" x 8.5" - 12" x 18" DF-730 Min Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs 5.5" x 8.5" - 12" x 18" DF-730 Min Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gs 5.5" x 8.5" - 12" x 18" DF-730 Rooklet Folder Supports 8.5" x 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17" PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11", 8.5" x 11"; 16 lb Bond - 24 lb Bond (60 - 90gsm) 16 sheets; 25 lb Bond - 28 lb Bond (91 - 105gsm) 13 sheets; Fold booklet - no staple: 16 lb Bond - 24 lb Bond |

Specifications and design are subject to change without notice.

For the latest on connectivity visit www.copystar.com

All trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

